


## FTCS-M131X-02DXX 10Gbps 220m Multi Mode Datacom SFP+ Transceiver

### Features


- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



### Applications

- ◆
- ◆

### Product description



## Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit
				°
				°

## Recommended operating environment

Parameter	Symbol	Min.	Typical	Max	Unit
					°

### LOW Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit

### Electrical characteristics

Parameter	Conditions	Symbol	Min.	Typical	Max	Unit
<b>Transmitter</b>						
<b>Receiver</b>						



--	--	--	--	--

### General Specifications

Parameter	Symbol	Min.	Typical	Max	Unit	Notes





## Digital Diagnostic Functions

Parameter	Symbol	Min.	Max	Unit	Notes
<b>Accuracy</b>					
<b>Dynamic Range Accuracy</b>					




Figure 2: Interface to Host PCB




Figure 3: Module Contact Assignment

### Pin definition

Pin	Symbol	Name/Description




**Notes:**



# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下



**Figure6. Mechanical Specifications**

## Regulatory Compliance

Feature	Agency	Standard



## Ordering information

Part Number	Product Description

## References

## Important Notice